

ALL UNITS AVAILABLE. ORDER NOW!

STEP 1: Choose your model.

Model Options	Price (VAT inc)	Number of Users	Inclusions
Starlink Enterprise Kit	Php 201,600.00	Up to 100 Concurrent Users	Starlink HP, Power Supply, 25m (82ft) POE, 2m Power and Data Cables, Wi-Fi Router, and Lawn Mount Up to: 350+ 40+ Mbps Expected: 150-350+ 20-40+ Mbps
Starlink Maritime/ Flat Enterprise Kit	Php 201,600.00	Up to 100 Concurrent Users	Starlink Flat HP, Power Supply, 8m (26ft) POE, 2m Power and Data Cables, Wi-Fi Router, and Wedge Mount Up to: 350+ 40+ Mbps Expected: 150-350+ 20-40+ Mbps
Starlink Standard v4 Kit	Php 35,000.00	Up to 15 Concurrent Users	Up to: 40-150+ Mbps Download 8-30+ Mbps Upload


Price does not include installation. Rate is subject for actual site survey

STEP 2: Choose your service.

Service Options	Price (VAT inc)	Inclusions	Remarks
Starlink Enterprise IoT	Php 14,999.00	40GB Premium Data Unlimited Standard Data	Service available at a single fixed location on land only
Starlink Enterprise Lite	Php 28,000.00	1TB Priority Data Unlimited Standard Data	Service available at a single fixed location on land only
Starlink Enterprise	Php 56,000.00	2TB Priority Data Unlimited Standard Data	Service available at a single fixed location on land only
Starlink Enterprise Premium	Php 112,000.00	6TB Priority Data Unlimited Standard Data	Service available at a single fixed location on land only
Starlink Enterprise Portable Lite	Php 28,000.00	50GB Premium and Ocean Data Cap Unlimited Standard Data on Land	Service available fixed or in-motion anywhere in the world
Starlink Enterprise Portable	Php 100,800.00	1TB Premium and Ocean Data Cap Unlimited Standard Data on Land	Service available fixed or in-motion anywhere in the world
Starlink Enterprise Portable Premium	Php 364,000.00	5TB Premium and Ocean Data Cap Unlimited Standard Data on Land	Service available fixed or in-motion anywhere in the world

Contact us

 Trends & Technologies, Inc. 6th Floor, Trafalgar Plaza, H.V. Dela Costa Street, Salcedo Village, Makati City 1227, Philippines

 T: +63 2 8811 8181
F: +63 2 8814 0130

 info@trends.com.ph

 Trends & Technologies, Inc.

 www.trends.com.ph



in collaboration with
DATA LAKE



STARLINK
Managed Services for Business


Get High Speed Internet
Anywhere in the Philippines

UNITS READY FOR INSTALLATION!

STARLINK

High Speed Internet Anywhere in the Philippines

Gain high-speed and low-latency internet connectivity across the Philippines through Starlink's advanced technology, powered by a network of Low Earth Orbit Satellites. In partnership with DataLake, Trends offers comprehensive solutions with nationwide stock availability and installation services tailored for businesses.



Why upgrade to Starlink?



Get high speed internet up to 350 Mbps



Experience low latency up to 20 ms.



Connect to the internet anywhere in the Philippines

Why get the Enterprise Dish?

The Enterprise Dish is the ultimate solution for businesses demanding reliable and powerful satellite communication. Maximize these superior features to boost your business.

+ 30° expanded field of view
≈ 35% improved satellite visibility
4x greater service availability

Why partner with Trends?

Beyond Connectivity: A Comprehensive Solution

Trends offers a complete package, including structured cabling and fit-out solutions, to meet all your enterprise needs.



Network



Cybersecurity



Surveillance



Structured Cabling



Software Application




Fit Out

Unlock the Power of Starlink with Trends

With over 30 years of ICT expertise, Trends can help businesses leverage the revolutionary Starlink technology to achieve:

- **Unbreakable Connectivity:** Ensure seamless and reliable internet access even in remote locations, boosting productivity and reducing downtime.
- **Enhanced Customer Experience:** Optimize in-store experiences with secure networks for landing pages, targeted advertising, and queueing systems.
- **Campus Network Resilience:** Build a robust and secure campus network with Wi-Fi infrastructure, segment routing, and advanced cybersecurity solutions.



Sample Starlink SDWAN Setup

OFFICIAL MOUNTING SYSTEMS AVAILABLE





Item	Cost	Description
<p>Flash Mounting Kit</p> 	Php 10,000.00	<p>Designed for water-tight protection when installing Starlink on shingles or siding and provides storage for extra cable. Requires additional purchase of Pivot Mount.</p> <p>Tools Needed: Drill, Phillips Head Drill Bit, 5/16" (7.9 mm) and 7/16" (11.1 mm) Socket Wrenches, 7/16" (11.1 mm) Wrench, Utility Knife, Pry Bar, Roof Cement, Measuring Tape, Stud Finder, Pencil, and Goggles</p> <p>Mount Dimensions: Length: 10.58" / 26.89 cm, Width: 9.07" / 23 cm, Height: 1.97" / 5 cm</p> <p>Package Dimensions: 15 5/8" x 15 1/4" x 3" / 39.7 x 38.7 x 7.6 cm</p> <p>Package Weight: 7 lbs / 3.2 kg</p>
<p>Pivot Mount</p> 	Php 10,000.00	<p>Designed for installation on shingled roofs, requires drilling. Not recommended for tile, slate, and clay roofing. For best results, the mount should be adjusted to ensure Starlink is installed as close to vertical as possible.</p> <p>Tools Needed: Drill, 1/2" (12.7 mm) Socket Wrench, 5/32" (4 mm) Drill Bit</p> <p>Mount Dimensions: Length: 8.66" / 22 cm, Width: 4.3" / 11 cm, Height: 6.14" / 15.6 cm</p> <p>Package Dimensions: 9.7" x 5.5" x 3.1" / 24.7 x 14 x 7.9 cm</p> <p>Package Weight: 2.2 lbs / 1.0 kg</p>
<p>Long Wall Mount</p> 	Php 10,000.00	<p>Designed for installation on an exterior wall near the top of the gable; extra length provides clearance of overhang when needed. Drilling required.</p> <p>Tools Needed: Drill, Stud / Electrical Finder, Socket Wrench, Level, 5/32" (4 mm) Drill Bit, 0.5" x 2.5" (12.5 x 63.5 mm) Socket, Pencil</p> <p>Mount Dimensions: Length: 16.8" / 42.7 cm, Width: 4.84" / 12.3 cm, Height: 4.44" / 11.3 cm</p> <p>Package Dimensions: 19.1" x 5.5" x 4.7" / 48.5 x 14 x 11.9 cm</p> <p>Package Weight: 3.3 lbs / 1.5 kg</p>




Installation Guides and Obstruction Guidance will be provided to customer upon payment

Item	Cost	Description
<p>Pipe Adapter</p> 	Php 10,000.00	<p>Designed to attach to any pole with a max diameter of 2.5" (64 mm). Slide adapter over the top of the existing pole, fasten provided screws, and drop Starlink in.</p> <p>Tools Needed: N/A</p> <p>Package Dimensions: 8.3" x 5.5" x 3.4" / 21 x 14 x 8.7 cm</p> <p>Package Weight: 1.35 lbs / 0.6 kg</p>
<p>Masonry Routing Kit</p> 	Php 5,000.00	<p>Designed for drilling through masonry, concrete or hard coat stucco (excluding EIFS) walls. Best for customers with prior internet cable routing experience and installation; must be comfortable drilling through walls. Kit includes a 3/4" (1.9 cm) spade bit, drill bits, cable routing tool, silicone sealant, grommets, and wall clips.</p> <p>Tools Needed: Hammer, Hammer Drill, Phillips Head Drill Bit, Stud / Electrical Finder, Goggles, Gloves, and Mask</p> <p>Mount Dimensions: 13.875" x 6.5" x 1.75" / 35.2 x 16.5 x 4.4 cm</p> <p>Package Weight: 2.1 lbs / 1 kg</p>
<p>Short Wall Mount</p> 	Php 10,000.00	<p>Designed for installation on an exterior wall near the top of the gable. Drilling required. For overhang clearance, please reference the installation guide.</p> <p>Tools Needed: Drill, Stud / Electrical Finder, Socket Wrench, Level, 5/32" (4 mm) Drill Bit, 0.5" x 2.5" (12.5 x 63.5 mm) Socket, Pencil</p> <p>Mount Dimensions: Length: 2.77" / 7 cm, Width: 2" / 5.1 cm, Height: 6.02" / 15.3 cm</p> <p>Package Dimensions: 8.3" x 5.5" x 3.4" / 21 x 14 x 8.7 cm</p> <p>Package Weight: 1.4 lbs / 0.6 kg</p>





Installation Guides and Obstruction Guidance will be provided to customer upon payment

OFFICIAL ACCESSORIES AVAILABLE

Item	Cost	Description
Ethernet Adapter 	Php 5,000.00	The Starlink Ethernet Adapter is designed to connect a device directly to the Starlink router for a wired Internet connection. Supports up to 1 Gbps speeds. NOTE: This product is for indoor use only. Tools Needed: N/A Package Dimensions: 6.5" x 4.5" x 1.5" / 16.5 x 11.4 x 3.6 cm Package Weight: 0.33 lbs / 0.15 kg
Additional / Replacement Mesh Router 	Php 12,000.00	Starlink Mesh WiFi Routers wirelessly extend your WiFi network throughout your home to provide a more reliable connection and faster speeds to areas where extra coverage may be needed. <i>See installation guide below for more setup details and tips.</i> Compatibility: Rectangular Starlink Kit, Starlink App required Package Dimensions: 8.8" x 11.3" x 4" / 22.4 x 28.6 x 10 cm Package Weight: 3.75 lbs / 1.72 kg
Replacement 2M Starlink Router Cable 	Php 7,200.00	The 2 m (6.5 ft) Router Cable is designed to replace the standard cable from the High Performance Starlink Kit between the Power Supply and the Starlink Router in case of damage. Tools Needed: N/A Package Dimensions: 225 x 210 x 60 mm / 8.9" x 8.3" x 2.4" Package Weight: 0.42 kg / 0.93 lbs
30M Starlink Router Cable 	Php 15,000.00	The 30 m (98 ft) Router Cable is designed to replace the standard 2 m cable from the High Performance Starlink Kit when additional length is needed between the Power Supply and the Starlink Router. Tools Needed: N/A Package Dimensions: 300 x 270 x 67 cm / 118.1" x 106.3" x 26.4" Package Weight: 1.9 kg / 4.19 lbs

Item	Cost	Description
Replacement 5M Starlink Router Cable 	Php7,200.00	The 5 m (16.5 ft) Ethernet Cable is designed to replace the cable from the High Performance Starlink Kit between the Power Supply and the RJ45 connector (for third party routers or devices). Tools Needed: N/A Package Dimensions: 225 x 210 x 60 mm / 8.9" x 8.3" x 2.4" Package Weight: 0.42 kg / 0.93 lbs
Replacement and Extra (25 meter). POE Cable 	Php 15,000.00	The 25m cable is designed to replace the standard 25m cable from the Starlink Kit in case of damage. Tools Needed: N/A Package Dimensions: 5.8" x 2" x 17.1" / 14.9 x 5.1 x 43.6 cm Package Weight: 3 lbs / 1.4 kg
82 ft (25 meter). Ethernet Cable 	Php 10,000.00	The 25m Ethernet Cable is designed to replace the standard 5 m cable from the High Performance Starlink Kit when additional length is needed between the Power Supply and the RJ45 connector (for third party routers or devices). Tools Needed: N/A Package Dimensions: 300 x 270 x 67 cm / 118.1" x 106.3" x 26.4" Package Weight: 1.9 kg / 4.19 lbs
Replacement AC Cable 	Php 4,500.00	Replacement AC Cable for Wifi Router Replacement AC Cable for Power Supply

OTHER ACCESSORIES

Item	Cost	Description
<p>RIVER 2 Portable Power Station</p> 	Php 23,000.00	<p>Brand: Ecoflow Battery type: LiFePO4 WiFi Function Input DC - AC Charge, Solar Charging XT60 Standard: 110W, 11-30V 8A Max, Car Charge Input: 12V/24V, 8A (100W Max) Recharge time via AC: 0% to 100% in 60 Minutes Total max. 300 W continuous power Total max. 600 W peak power</p> <p>Battery capacity in Wh: 256 Wh Starlink Enterprise in Hours: 1.5 Hours with 20 connected devices Output USB: USB-A Output (x2): 5V, 2.4A (12W max) and USB-C Output (x1): 5/9/12/15/20V, 3A (60W max) Output DC: 1x 12.6V, 8A (100W max) Output 230 V: 1 x AC 230V (EU Schuko) Dimension: 24.5 x 21.4 x 14.2 cm Weight 3.5 kg</p>
<p>Ecoflow RIVER 2 Max Portable Power Station</p> 	Php 36,500.00	<p>Brand: Ecoflow Battery type: LiFePO4 WiFi Function Input DC - AC Charge, Solar Charging XT60 Standard: 220W, 11-30V 13A Max, Car Charge Input: 12V/24V, 8A (100W Max), USB-C Input 5/9/12/15/20V, 5A (100W max) Recharge time via AC: 0% to 100% in 60 Minutes Total max. 500 W continuous power Total max. 1000 W peak power</p> <p>Battery capacity in Wh: 512 Wh Starlink Enterprise in Hours: 3.5 Hours with 20 connected devices Output USB: USB-A Output (x3): 5V, 2.4A (12W max) and USB-C Output (x1): 5/9/12/15/20V, 3A (100W max) Output DC : 1x 12.6V, 10A (126w max) DC Car Port 2x 12.6 V, 3A (36w max) DC5521 Output 230 V: 2 x AC 230V (EU Schuko) Dimension: 27 x 26 x 19.6 cml Weight 6kg</p>
<p>Ecoflow River 2 Pro Portable Power Station</p> 	Php 45,000.00	<p>Brand: Ecoflow Battery type: LiFePO4 WiFi Function Input DC - AC Charge, Solar Charging XT60 Standard: 220W, 11-30V 13A Max , Car Charge Input : 12V/24V, 8A (100W Max), USB-C Input 5/9/12/15/20V, 5A (100W max) Recharge time via AC: 0% to 100% in 60 Minutes Total max. 800 W continuous power Total max. 1600 W peak power</p> <p>Battery capacity in Wh: 768 Wh Starlink Enterprise in Hours: 5 Hours with 20 connected devices Output USB: USB-A Output (x3): 5V, 2.4A (12W max) and USB-C Output (x1): 5/9/12/15/20V, 3A (100W max) Output DC: 1x 12.6V, 10A (126w max) DC Car Port 2x 12.6 V, 3A (36w max) DC5521 Output 230 V: 3 x AC 230V (EU Schuko) Dimension: 27 x 26 x 22.6 cm Weight 7.8 kg</p>
<p>Ecoflow Delta 2 Portable Power Station</p> 	Php 75,500.00	<p>Brand: Ecoflow Battery type: LiFePO4 WiFi Function Input DC - AC Charge, Solar Charging XT60 Standard: 220W, 11-30V 13A Max, Car Charge Input: 12V/24V, 8A (100W Max), USB-C Input 5/9/12/15/20V, 5A (100W max) Recharge time via AC: 0% to 100% in 90 Minutes Total max. 1800 W continuous power Total max. 2700W peak power</p> <p>Battery capacity in Wh: 1024 Wh Starlink Enterprise in Hours: 7.5 Hours with 20 connected devices Output USB: USB-A Output (x2): 5V, 2.4A (12W max) and USB-C Output (x2): 5/9/12/15/20V, 3A (100W max) Output DC: 1x 12.6V, 10A (126w max) DC Car Port 2x 12.6 V, 3A (36w max) DC5521 Output 230 V: 3 x AC 230V (EU Schuko) Dimension: 40.0 x 21.1 x 28.1 cm Weight 12 kg</p>

Item	Cost	Description
<p>Ecoflow DELTA Max Portable Power Station</p> 	Php 117,500.00	<p>Brand: Ecoflow Battery type: Lithium -Ion WiFi Function Input DC - AC Charge, Solar Charging XT60 Standard: 220W, 11-30V 13A Max, Car Charge Input: 12V/24V, 8A (100W Max), USB-C Input 5/9/12/15/20V, 5A (100W max) Recharge time via AC: 0% to 100% in 90 Minutes Total max. 2400 W continuous power Total max. 4600 W peak power</p> <p>Battery capacity in Wh: 2016 Wh Starlink Enterprise in Hours: 12 Hours with 20 connected devices Output USB: USB-A Output (x4): 5V, 2.4A (12W max) and USB-C Output (x2): 5/9/12/15/20V, 3A (100W max) Output DC: 1x 12.6V, 10A (126w max) DC Car Port 2x 12.6 V, 3A (36w max) DC5521 Output 230 V: 4 x AC 230V (EU Schuko) Dimensions: 49.7 x 24.2 x 30.5 cm Weight : 22.0 kg</p>
<p>Ecoflow DELTA Max Portable Power Station</p> 	Php 41,100.00	<p>Brand: Ecoflow Monocrystalline (22.6% efficiency) Material Monocrystalline System: Foldable Voc - Voltage open circuit 48 V Imp - Ampere maximum power 9.8 A Vmp - Voltage maximum power 41 V Isc - Ampere short circuit 11 A Type of output MC4 port Waterproof IP68 Weatherproof Ja (IP68)</p> <p>Power: 400W Dimensions: Unfolded: 105.8 x 236.5 cm x 2.5 cm Folded: 105.8 x 62.0 x 2.5 cm Weight: 12.5 kg</p>
<p>Ecoflow 400W Rigid Solar Panel x 2 pcs</p> 	Php 67,200.00 <i>(35,000 per piece)</i>	<p>Brand: Ecoflow Monocrystalline (22.6% efficiency) Material Monocrystalline System: Foldable Voc - Voltage open circuit 37.1V Imp - Ampere maximum power 12.9 A Vmp - Voltage maximum power 31 V Isc - Ampere short circuit 13.79 A Type of output MC4 port Waterproof IP68 Weatherproof Ja (IP68)</p> <p>Power: 400W Weight: 21.8 kg for 2 Dimensions: 172.2 x 113.4.6 x 3.5cm</p>
<p>Raptor - Starlink Enterprise Case</p> 	Php 30,000.00	<p>Brand: Raptor Material TSU-19 Resin Water Proof and Dust Proof, IP 67 External Dimensions: (L*W*D): 847*722*432mm Internal Dimensions: (L*W*D): 786*661*391mm Lid Depth: 90mm Bottom Depth: 300mm Weight: 15Kg</p>